

DFK INDUSTRIAL CORP.

A L W A Y S B R I N G Y O U T H E B E S T

Fittings | Rotary Joint | Nozzle | Valves
CNC Machined Parts | Fog System | Customized Parts



「Fog System / Parts」

• Fitting and Connector

Coupling



Size: 1/4"PT
~1/2"PT*1/2"

Bushing joint



Size: 1/4"PT*1/8"PT
~1/2"PT*3/8"

Adapter



Size: 1/4"PT*1/8"PT
~1/2"PT*3/8"

Cross



Size: 1/4", 3/8", 1/2"

Nipple



Size: 1/4"

Thread Plug



Size: 1/4"

Female Tee



Size: 1/4", 3/8", 1/2"

Male Tee



Size: 1/4", 3/8", 1/2"

Street Tee



Size: 1/4"PT, 3/8"PT,
1/2"PT

Female Elbow



Size: 1/4", 3/8", 1/2"

Male Elbow



Size: 1/4", 3/8", 1/2"

Male Elbow



Size: 1/4", 3/8", 1/2"

• D-Type SS Spray Piece Nozzle

D SS Sheet Nozzle



Size: 0.15~1.0mm
Flow Volume:
28~1200c.c./Min

D-18F SS Sheet Nozzle



Size: 0.15~1.0mm
Flow Volume:
28~1200c.c./Min

「Fog System / Parts」

• D-SF Vortex Filter Pipe SS Sheet Nozzle

D-SF



Size:0.15~1.0mm
Flow Volume:
28~1200c.c./Min

D-18SF



Size:0.15~1.0mm
Flow Volume:
28~1200c.c./Min

BD BT-ST



Size:0.15~0.50mm
Flow Volume:
28~225c.c./Min

D-CSF



Size:0.15~0.50mm
Flow Volume:
24~225c.c./Min

• Button Type Fogging Nozzle

NA



Size:0.15~0.50mm
Flow Volume:
28~225c.c./Min

NA-C



Size:0.15~0.50mm
Flow Volume:
24~225c.c./Min

BN



Size:0.15~0.50mm
Flow Volume:
24~225c.c./Min

• Fan Type Nozzle

FA05



Size:0.5mm
Flow Volume:
0.9~2.3LPM
Distance:2.5~3M

• Inlaid Stainless Steel Spray Piece Nozzle

BD



Size:0.15~0.50mm
Flow Volume:
28~225c.c./Min

BT



Size:0.15~0.50mm
Flow Volume:
28~225c.c./Min

「Fog System / Parts」

• D-C Ceramic Nozzle

D-C



Size:0.15~0.50mm

Flow Volume:
24~225c.c./Min

D-18C



Size:0.15~0.50mm

Flow Volume:
24~225c.c./Min

• Fast Slip Nozzle

SI



Size:0.15~0.50mm

Flow Volume:
28~225c.c./Min

SI-p



Size:0.15~0.50mm

Flow Volume:
28~225c.c./Min

SI-SF



Size:0.15~0.50mm

Flow Volume:
28~225c.c./Min

SI-PSF



Size:0.15~0.50mm

Flow Volume:
28~225c.c./Min

• Impact Pin Mist Nozzle

Impact JP Nozzle



Size:0.15/0.20mm

Flow Volume:
88/155c.c./Min

「Fog System / Parts」

• Nozzle Parts

Nozzle Filter Seat



Size:Ø9.5 x 28mm

Nozzle Filter Seat



Size:Ø9.5 x 24mm

Vortex Filter Pipe



Size:Ø9.5 x 28mm

Nozzle Head



Size:Ø9.5 x 5.6mm

Metal Ball Valve



Size:Ø3.8 x 3.8mm

Epdm Ball Valve



Size:Ø3.5 x 4mm

Viton Ball Valve



Size:Ø3.5 x 4mm

Viton Ball Valve



Size:Ø2.4 x 3mm

T Type Hard Filter



Size:Ø7 x Ø5 x 7.6mm

Min Nozzle Filter



Size:Ø4 x 5.6mm

Nozzle Filter



Size:Ø6.5 x 8mm

• Slip Fast Fitting

Coupling



Size:1/4",3/8",1/2"

Single Side Coupling



Size:
Ø12.6~20 x 40~49mm

2 Side Seat Coupling(120°)



Size:
Ø15.8~20 x 40~50mm

「Fog System / Parts」

• Slip Fast Fitting

Female adapter



Size: 1/4" * 1/4"
~ 1/2" * 3/8"

1 Side Seat Caps



Size:
Ø12.7~20 x 27~31mm

Reducing Coupling



Size: 1/4", 3/8"

2 Side Seat Coupling (180°)



Size: Ø14 x 40~49mm

Male Adapter



Size: 1/4" * 1/4"
~ 1/2" * 3/8"

End Adapter



Size: 1/4", 3/8", 1/2"

2 Side Seat Caps (180°)



Size:
Ø15~20 x 27~31mm

1 Side Seat End



Size:
Ø12.7~20 x 22.5~27mm

Elbow



Size: 1/4", 3/8", 1/2"

Reducing Tee



Size: 3/8" * 1/4"
~ 1/2" * 1/4"

3 Nozzle Seat



Size: 20Hex * 16 * 32mm

Slip Ball Valve



Size: S1/4" * V1/4"
~ S1/2" * V3/8"

Tee



Size: 1/4", 3/8", 1/2"

Cross



Size: 1/4", 3/8", 1/2"

5 Nozzle Seat



Size:
Ø30 * Ø16 * 42mm

「Fog System / Parts」

• Slip Fast Fitting

Slip Plug



Size:1/4",3/8",1/2"

• Lock Screw Fitting

Coupling



Size:1/4",3/8",1/2"

Double Side Coupling



Size:14~17Hex
*44~50mm

Male Adapter



Size:14~17Hex
*34~36mm

End Adapter



Size:14Hex*26
/17Hex*17Hex*30mm

Single Side Coupling



Size:14~17Hex
*44~50mm

120° Side Coupling



Size:14~17Hex
*45~50mm

Female Adapter



Size:14~17Hex
*36~38mm

Single Side End Adapter



Size:14Hex*27
/15Hex*17Hex*29mm

120° Double Side End Adapter



Size:14Hex*27
/15Hex*17Hex*29mm

Tee



Size:1/4",3/8",1/2"

Elbow



Size:1/4",3/8",1/2"

Ferrule Nut



Size:1/4",3/8"

「Fog System / Parts」

• Pipe Ring Lock Screw Fitting

1/2 Side
Pipe Ring Seat



Size:
Ø18*12*21mm

1/2 Side
Pipe Ring Seat



Size:
Ø22*18*21mm

• Fogging System Accessories

Flexible Extend



Size:
Ø8*Ø4*50~300mm

Nozzle Plug



Size:
Ø9.5*9.6mm

Nozzle Seat



Size:
14Hex*15mm

Nozzle Seat



Size:
21Hex*16mm

Nozzle Seat



Size:
17Hex*21mm

Nozzle Seat



Size:
14Hex*15mm

Nozzle Seat



Size:
14Hex*12mm

Nozzle Seat



Size:
17Hex*12mm

Single Adjust Direct
Nozzle Filter Seat



Size:
12.7Hex*23mm

Single Adjust Direct
Nozzle Filter Seat



Size:
12.7Hex*26mm

Nozzle Seat



Size:
Ø15*20mm

Double Side Adjust
Direct Nozzle Seat



Size:
Ø12.7*23mm

「Fog System / Parts」

• Fogging System Accessories

Double Side Adjust
Direct Nozzle Seat



Size:
Ø12.7*26mm

Nozzle Seat



Size:
Ø13*20mm

Nozzle Seat



Size:
19Hex*20mm

Flexible Angle Seat



Size:
Ø10*23mm

9.5mm Spigots SS
Pipe Connector



Size:
Ø12*8mm

High/Low Pressure
Drain Valve



Size:
Ø9.5*23mm

Drain Valve



Size:
25Hex*51mm

12.7mm Spigots SS
Pipe Connector



Size:
Ø13*10mm

Bring You The Best

x

Well Experienced



DFK Industrial Corp.

CONTACT US !



4F., NO.43, Ln.3, Sec.1, Zhongzheng E Rd., Tamsui Dist.,
New Taipei City 251007, Taiwan(R.O.C.)



TEL : +886 2 2625 1940



FAX : +886 2 2623 9540



www.dfk-cnc.com.tw



dfk@dfk-cnc.com.tw



DFK Website



DFK Alibaba